

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Trade name

FHM 1500

Company

Freudenberg Vliesstoffe KG
Filter Division
Filtertechnik
D-69465 Weinheim
Telephone : +49 (0)6201-80-6264
Telefax : +49 (0)6201-80-6299

Emergency contact

Freudenberg Service KG, Werk-/Brandschutz
Emergency telephone number : +49 (0)6201-80-3030

Use of the Substance / Preparation

Filter additive, Precoating powder

2. COMPOSITION/INFORMATION ON INGREDIENTS

Information on ingredients / Hazardous components

• **Silane, dichlorodimethyl-, reaction products with silica**

CAS-No. 68611-44-9 EC-No. 271-893-4

See chapter 16 for text of risk phrases

3. HAZARDS IDENTIFICATION

On the basis of our data the product is not a hazardous substance as defined by the Chemicals Act or Hazardous Substance Ordinance in the currently valid versions.

4. FIRST AID MEASURES

Inhalation

In case product dust is released:
Possible discomfort: cough, sneezing
Take affected persons out into the fresh air.

Skin contact

Wash off with soap and water.

Eye contact

Possible discomfort is due to foreign substance effect.
Rinse thoroughly with plenty of water keeping eyelid open.
In case of persistent discomfort: Consult an ophthalmologist.

Ingestion

Clean mouth with water and drink afterwards plenty of water.
After absorbing large amounts of substance / In case of discomfort: Supply with medical care.

Notes to physician

No hazards which require special first aid measures.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

All extinguishing substances suitable.

Specific hazards during fire fighting

May be released in case of fire: carbon monoxide, carbon dioxide, formaldehyde and methane.

Further information

Water used to extinguish fire should not enter drainage systems, soil or stretches of water.

Ensure there are sufficient retaining facilities for water used to extinguish fire.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear personal protective equipment.

Environmental precautions

Do not allow entrance in sewage water, soil stretches of water, groundwater, drainage systems.

Methods for cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

Additional advice

Avoid dust formation.

7. HANDLING AND STORAGE

Handling

Safe handling advice

If necessary: Local ventilation.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Storage

Requirements for storage areas and containers

Keep in a dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

• Dust

CAS-No.

Control parameters 4 mg/m³ Time Weighted Average (TWA):(EH40 WEL)

type of exposition Respirable dust.

Control parameters 10 mg/m³ Time Weighted Average (TWA):(EH40 WEL)

type of exposition Inhalable dust.

Personal protective equipment

Respiratory protection

No special protective equipment required.

If dust occurs: Dust mask with P2 particle filter

Hand protection

Wear protective gloves made of the following materials: material, rubber, leather.
The material thickness and rupture time data do not apply to non-solute solids / dusts.

Eye protection

Safety glasses with side-shields
If dust occurs: basket-shaped glasses

Skin and body protection

No special protective equipment required.

Hygiene measures

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work.
To ensure ideal skin protection: use super fatted soaps and skin cream for skin care.
Wash contaminated clothing before re-use.

Protective measures

Handle in accordance with good industrial hygiene and safety practices.
If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.
If the limits at the workplace are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder
Colour white
Odour odourless

Safety data

pH 3.6 - 5.5 (40 g / l) (20 °C)
Medium: water / methanol
1: 1 in suspension
Melting point/range not applicable
Boiling point/range not applicable
Flash point not applicable
Flammability not applicable
Ignition temperature > 400 °C
Method: DIN 51 794
Autoinflammability not applicable
Lower explosion limit not determined
Upper explosion limit not determined
Minimum ignition energy > 10 Joule
Vapour pressure not applicable
Density ca. 2 g/cm³ (20 °C)
Tapped density ca. 50 g / l
Method: DIN / ISO 787/11
Water solubility insoluble
Partition coefficient (n-octanol/water) not applicable
Viscosity, dynamic not applicable

10. STABILITY AND REACTIVITY

Conditions to avoid With temperatures > 300 °C, hydrophobicity is lost.
Hazardous decomposition products Carbon monoxide, carbon dioxide (CO₂)

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity LD50 Rat: > 5000 mg/kg

Method: literature

Acute inhalation toxicity LC50 Rat: > 0.477 mg/l / 4 h

Method: analogy OECD

(maximum concentration attainable in experiments)

Skin irritation Rabbit / literature

not irritating

Eye irritation Rabbit / literature

not irritating

Repeated dose toxicity Oral

no negative effects

inhalative

No irreversible changes and no indication of silicosis.

Carcinogenicity no negative effects

Toxicity to reproduction no negative effects

Human experience Silicosis or other product specific illnesses of the respiratory tract were not observed in association with the product.

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Behaviour in environmental compartments

Ecotoxicity effects

Toxicity to fish LC50 (Brachydanio rerio): > 10000 mg/l / 96 h Method: OECD 203

Toxicity to daphnia EC50 Daphnia magna: > 10000 mg/l / 24 h Method: OECD 202

Toxicity to algae IC 50 scenedesmus subspicatus: > 10000 mg/l / 72 h Method: OECD 201

13. DISPOSAL CONSIDERATIONS

Product

Can be disposed of with domestic refuse in accordance with the necessary technical regulations following consultation with waste disposal expert(s) and the responsible authorities.

Uncleaned packaging

Offer rinsed packaging material to local recycling facilities.

Other countries: observe the national regulations.

Waste Key Number

No waste key number as per the European Waste Types List can be assigned to this product, since such classification is based on the (as yet undetermined) use to which the product is put by the consumer.

The waste key number must be determined as per the European Waste Types List (decision on EU Waste Types List 2000/532/EC) in cooperation with the disposal firm / producing firm / official authority.

14. TRANSPORT INFORMATION

Transport/further information

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Labelling according to EC Directives

Other data On the basis of our data the product is not a hazardous substance as defined by the Chemicals Act or Hazardous Substance Ordinance in the currently valid versions.

National legislation

16. OTHER INFORMATION

Risk phrase (R phrase) texts

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.